500 BAR PERSONAL PROTECTION

STAY SAFE ... PERSONAL PROTECTION UP TO 500 BAR

JULY 2023



Aussie Pumps *

500 BAR HOSE SHROUDS



500 BAR PROTECTIVE CLOTHING

Hose ruptures account for 90% of operator injuries.

The hose shroud is placed on the hose at the connection to the gun. This provides effective protection for the operator as it has been tested for 500 bar / 7500 psi. An adjustable strap holds the hose shroud securely in place.

Length: 750 mm Diameter: 41 mm Weight 0.2 kg ATST56600455920 \$314



ROTOR 500 bar/7500 psl FLAT 500 bar/7500 psl SINGLE 200 bar/3000 psl C € 89/686/EEC

APRON

The full area of the Apron has built-in protection. Good alternative protection in warm environments.

- Adjustable neckband .. adjusts position of apron
- Adjustable waistband ... takes weight off the neck

Comfort, Function and Safety - Pro Operator

Dyneema[®] is the world's strongest fibre.

(15 times stronger than steel on a weight for weight basis). This makes it possible to offer high levels of protection against water jetting hazards even with lightweight fabric. Being much thinner and more flexible than traditional materials, such as leather, cotton and metals, products made with Dyneema® fibre will be very comfortable. Employees will appreciate this comfort, combined with higher protection, and consequently are more likely to wear them at all times.

Dyneema® is a registered trademark of Royal DSM N.V

- Easy to put on & take off
 - Recommended for work on flat surfaces
 - One size
 - Weight 0.7 kg
- ATSTP5623025 \$833



GLOVES

Pack of 12 pairs of gloves, Size 8 or 11



\$3,010 ATSTP5600025/xx (xx = size) Individual pairs of gloves, size 8 or 11 ATSTP5600025xxS (xx = size) \$304

HEAD PROTECTION .. 3,000 BAR

Helmet with safety visor & hearing protectors.

- Comfortable
- Adjustable fit
- Replaceable visor that can be set in folded up position
- 3 point chin strap

- Adjustable hearing protectors for optimum protection & comfort
- Weight 0.85kg
- Temp range -30°C to 150°C
- \$673 ATST51K0216890



Conversion table for shoe sizes

US

4

5

5%

6½

7%

8%

9

9½

10%

11½

UК

3

4

4%

5½

6%

7%

8

9

10

11

AUSSIE STOP-JET BOOTS ... CE CERTIFIED TO 500 BAR

Designed for comfort, performance and grip. Completely vulcanised rubber boots fitted with steel toecaps and sole inserts. Black areas on uppers indicate areas that withstand high pressure water jets up to 500 bar.

- Adjustable top strap
- Waterproof
- Textile inner
- lining for comfo Easy to pull on
- Sizes 36-48
- ATST5652025xx

ort	Prot. Level	Pressure bar (psi)	Flow (l/m)	Nozzle type	Dist. (mm)	Speed (m/s)	Result	
\$612	5/5/3	500 (7500)	16.9	Rotary jet	75	0.5	No penetration	-
	5/5/3	500 (7500)	16.9	15° fan jet	75	0.5	No penetration	•
	5/5/3	300 (4,350)	13.1	Pencil jet	75	0.5	No penetration	_



12 11% 47 13 12% 48 131/2 13% aussiepumps.com.au All prices AU\$, exclude GST, ex Sydney warehouse

EUR

02 8865 3500

Aussie Pumps *

500 BAR PERSONAL PROTECTION





OVERALL WITH HOOD

3-layer functional overall which is CE certified for protection against water jets to 500 bar. Excellent for the toughest conditions! Lined for high comfort. Waterproof and dirt repellent outside.

Weight 2.5 kg / 5.5 lbs. (Overall size L). Sizes XS–3XL

ATSTP5640025xxx (xxx = size)

\$2,564

\$2,891

ID pocket

Knife pocket on right leg

Ventilation zips in armpits

Pockets for knee pads

Reinforced knees

Adjustable cuffs

C and Martin 1000

Hi-vis option...

1

ATHV5640025xxx (xxx =size)

- Detachable hood with 3 adjustments
- 2 pockets with water proof zippers
- Inside are cuffs ... prevent leakage
- Elasticated waist
- Zippers at bottom of legs
- Water proof front zipper with overlapping flap

HI VIS VEST

Comfortable vest with protection on both the front and back. Water & dirt repellent outside

- Protection all around the vest
- Good for warm environment
- Special pocket for phone

Weight 1 kg / 2.2 lbs. (Overall size L). Sizes S–3XL

ATST5620025HVVxx (xx =size) **\$1,550**

JULY 2023

ISSUE

aussiepumps.com.au All prices AU\$, exclude GST, ex Sydney warehouse

Aussie Pumps *



JACKET WITH HOOD

3-layer functional jacket which is CE certified for protection against water jets to 500 bar. Very comfortable and flexible . Lined for high comfort. Waterproof and dirt repellent outside. Thoughtful details such as opening ventilation in the armpit, comfortable cuffs and adjustable hood.

Weight 1.6 kg / 3.5 lbs. (Jacket size L). Sizes XS-3XL

ATSTP5622025xxx (xxx =size) \$1,713

Hi-vis option... ATHV5622025xxx (xxx =size) **\$1,923**

TROUSERS

3-layer functional trousers which are CE certified for protection against High Pressure Cleaning. Very easy to put on and off. Adjustable elastic waist for perfect fit. Waterproof and dirt repellent outside. Practical details such as knife pocket, leg pocket and dual loops for belt. Zippers down on the legs allows them to widen to facilitate donning the boots. Weight 1.3 kg / 2.9 lbs. (Trousers size L). **Sizes** XS–3XL

ATSTP5632025xxx (xxx = size) **\$1,286**

Hi-vis option... ATHV5632025xxx (xxx =size) **\$1,448**

Jacket, Trousers, & Overall	Height (cm)	Chest (cm)
XS	160-167 (5'3"-5'6")	84 (33")
S	168-175 (5'6"-5'9")	92 (36")
М	176-180 (5'9"-5'11")	100 (39")
L	181-186 (5'11"-6'1")	108 (43")
XL	187-192 (6'2"-6'4")	116 (46")
2XL	193-200 (6'4"-6'7")	124 (49")
3XL	201-206 (6'7"-6'9")	132 (52")

SAFE OPERATOR TRAINING

New Australian Standards on the use of high pressure water jetting systems (AS:NZS4233.1-2013) states that operators of Class A pressure cleaners, typically to 4,000 psi, must be trained in identifying risk and the safe use of the equipment.

For Class B machines, 5,000 psi and above, or high flow blasters, operators must undergo formal training in high pressure jetting and be certified.

Aussie Pumps run safety training courses with a huge emphasis on safety awareness. The training program details, in a very down to earth way, the value of using indispensable labour saving equipment, without running the risk of disablement or injury.

Call Aussie Pumps for more details of the **FREE** courses.

82 FASTER | SMARTER | SAFER

02 8865 3500