

TOP QUALITY HP HOSE AT VALUE PACKED PRICES

HIGH PRESSURE CLEANING HOSES ... GREAT PRICES

Super high quality Aussie Pump high pressure hose range rated up to 600 bar, 8,700 psi



Check condition of hoses daily & replace regularly.

Most water blasting injuries are caused by worn or damaged hoses.

WHIP HOSES

CONNECTING HOSE REELS TO MACHINES

3/8" R2 wire braid hose
5,800 psi (400 bar) & hot water
(with female 3/8" ends)



Length	S/code	
1m	AHW06FB6FB6X1	\$35
2m	AHW06FB6FB6X2	\$51
3m	AHW06FB6FB6X3	\$70
4m	AHW06FB6FB6X4	\$86

AUSSIE BLUE-PRO
M22 ENDS

3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with M22 swaged couplings.
Suits both cold & hot water machines.
Non marking hose, suits all brands of professional pressure cleaners

- 5,800 psi rated hose
- Max water temp 155°C
- Suit all Class A professional blasters to 4,000 psi
- M22 couplings crimped (4,000 psi rated)



8m	AHW06M22X2X8	\$159
10m	AHW06M22X2X10	\$198

Replacement o-ring to suit swaged couplings

Single	AHWH-OR49-22	\$0.45
25 pack	AHWH-OR49-22-25	\$11
100 pack	AHWH-OR49-22-100	\$34

HOBBY GUN/LANCE HOSE
UPGRADE KIT

Hobby gun kit complete
with AL13 gun, Vario lance
& 8 metres of wire braid pro high
pressure hose

Includes 14mm to 15mm coupling adaptor (M85300159)

AGPDGLNH120

\$238

AUSSIE BLUE-PRO
FEMALE ENDS

3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with female swaged ends.
Suits both cold & hot water machines
Non marking hose, suits all brands of professional pressure cleaners

- 5,800 psi rated hose
- Max water temp 155°C
- 3/8" F ends (couplings ordered separately)
- Suit all Class A blasters to 5,000 psi professional blasters



2m	AHW06FB6FB6X2	\$51
10m	AHW06FB6FB6X10	\$224
20m	AHW06FB6FB6X20	\$371
30m	AHW06FB6FB6X30	\$556
50m	AHW06FB6FB6X50	\$860
100m	AHW06FB6FB6X100	\$1,725

PIGTAIL WRAPPED, COLD
WATER HOSE

3/8" R2 (DOUBLE wire braid hose) to 4,785 psi (330 bar)
4,785 psi black hose,
pigtail wrapped for
extra hose
protection against
abrasion from
dragging on rough
surfaces and general
ware.



3/8 FEMALE ENDS (see couplings below)

10m	AR206FB6FB6PT10	\$318
30m	AR206FB6FB6PT30	\$865

M22 couplings swaged on

10m	AKENNHOSKIT1	\$372
-----	--------------	-------

DON'T FORGET COUPLINGS



M22 QC (4,000 psi)

M24 QC (5,000 psi)

Couplings, & associated o-rings, for hoses

M212003540	(QC M22) 2 required	\$25 each
AGP100880	(o-ring for M22 coupling)	\$0.45 each
MPA26065050	(QC M24) 2 required	\$53 each
M212003660	Nipple to join two hoses with female ends.	\$17



DAMAGED & WORN HOSE
CAN CAUSE SERIOUS INJURIES!



Check your hose daily for abrasion & replace at the first sign of wear.

Under AS/NZ 4233.2:2103, Section 6 paras 6.4.2 & 6.4.3 cover marking of hoses assemblies, hoses used on Class B machines must be certified.

5,000 PSI AUSSIE BLUE-PRO CLASS B CERTIFIED

Certified Aussie Blue-Pro hose 3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with female swaged ends.

Suits both cold & hot water machines
Non marking hose, suits all brands of professional pressure cleaners

- Suit all **Class B** blasters to 5,000 psi professional blasters
- **Individual hose test certificate**
- 5,800 psi rated hose
- Max water temp 155°C
- 3/8" F ends
- Suffix 'C' in stock code indicates certified hose

2m	AHW06FB6FB6X2C	\$130
10m	AHW06FB6FB6X10C	\$304
20m	AHW06FB6FB6X20C	\$450
30m	AHW06FB6FB6X30C	\$641
50m	AHW06FB6FB6X50C	\$947
100m	AHW06FB6FB6X100C	\$1,804



SUPERTUFF HP HOSE WITH SS FITTINGS

Supertuff hose 3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with 316 stainless steel female swaged ends.

Suits marine applications.

- Suit all **Class B** blasters to 5,000 psi professional blasters
- 5,800 psi rated hose
- Max water temp 155°C
- 3/8" 316 stainless steel F ends
- Call for more length options

30m	ASTSS06FB6FB6X30	\$1,040
-----	------------------	---------

7,300 PSI (500 BAR) ULTRA HIGH PRESSURE HOSE

3/8" R2 wire braid hose, 3/8" M BSP ends, 150°C rated, for Quick Couplings refer p 54

- 7,300 psi rated (500 bar)
- Max water temp 150°C,
- 3/8" M ends
- **Individual hose test certificate**
- suit all Aussie Raptors & other 500 bar blasters

Additional coupler may be required to fit replacement hose to gun
(refer p65 AR9 500 bar couplings)

2m	A3641443039	\$505
10m	A3641443109	\$763
20m	A3641443209	\$1,118
30m	A3641443309	\$1,427



SPECIALIST SEWER CLEANING HOSE

More flexible, smaller diameter, extra long lengths. Hard wearing but not as robust as double wire braid hose used on pressure cleaners.

AUSSIE REDFLEX SEWER HOSE

The super strong thermoplastic coating means the hose is stiffer but harder wearing.
(5,000 psi ,1/4" BSP M ends)

- 1/4" for general drain clearing (60m)
AHOSE RF8-60M \$1,054
- 3/16" for gullies & tight corners (60m)
AHOSE RF6-60M \$962
- 3/8" for large flow machines (60m)
(3/8" M ends)
AHOSE8 3/8 60M \$1,312



8,700 PSI (600 BAR) ULTRA HIGH PRESSURE HOSE

R2 wire braid hose, M24 couplings, 150°C rated,

- 8,700 psi rated (600 bar)
- **Individual hose test certificate**



10m	A3686976109	poa
20m	A3686976209	\$1,296
30m	A3686976309	\$1,660

NEW HOSE RESTRAINT

Stainless steel hose restraint sock with carabiner & bracket. Connects between hose and gun or mini reel couplings. Use to restrain the hose in the event of a coupling failure. Required with Class B machines under AS/NZS4233.1



AD HRSS10 (3/8" thermoplastic hose)	\$142
AD HRSS8 (1/4" thermoplastic hose)	\$142
AHRANCHORPLATE	\$9.80
(attaches restraint to gun/lance or mini reel)	

AUSSIE SUPER WORM HOSE (15 METRES)

3/8", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends. Complete with Compressor Nozzle & 1/4" quick fit tail.

AHOSE8 1/8 15M **NOW \$463**



WORK SAFE ... REMOVE TRIP HAZARDS & EXTEND HOSE LIFE

AUSSIE 'REEL MATE' HOSE REEL KITS
WITH HOSE GREAT VALUE

The best value when you're buying both reel & hose!
Includes hose reel, R2 double braid hp hose, whip hose & mount.
Mount to machine frame, truck bed or wall ... IT'S EASY!



AUSSIE HOSE REELS ...

Extend hose life & improve safety ... store extra long hose lengths (hose sold separately). Whip hose included.



Model	Reel mate 3,500	Reel Mate 4,000
S/code	AD30001	ADHR40100D
Pressure rating	3,500 psi (240 bar)	4,000 psi (275 bar)
Hose length	15m	30m
Hose type	R2 5/16"	R2 3/8"
Whip hose	0.25m	1.4m
Inlet	M22 F QC	M22 F QC
Outlet	M22 F QC	M22 F QC
Foot print suits Scuds	✓	✓
Weight	12 kg	25 kg
Boxed dimensions LxWxH	300 x 290 x 340mm	400 x 350 x 450mm
	\$640	\$970

Replacement parts

Replacement swivel	AGP100887	\$101	AGP2103051	\$119
Repair kit	AGP2100278	\$33	AGP2100278	\$33
QC nipple to connect to gun	C1500.24	\$12	C1500.24	\$12
Replacement handle	AGP100056	\$18	AGP100056	\$18
Replacement hose	AHW06M22X2X15	\$340	AHW06M22X2X30	\$556

Model	Reel 5030	Reel 5045
S/code	ADHR50100D	ADHR50150D
Pressure rating	5,000 psi (350 bar)	5,000 psi (350 bar)
Hose capacity	30m	50m
Inlet	3/8" M swivel	3/8" M swivel
Outlet	3/8" NPT F	3/8" NPT F
Footprint suits Scud frames	✓	✓
Weight	8 kg	8 kg
Boxed dimensions LxWxH	390 x 330 420mm	390 x 330 420
	\$521	\$545

Replacement parts

Replacement swivel	AGP2103051	\$119	AGP2103051	\$119
Repair kit	AGP2100278	\$33	AGP2100278	\$33
Replacement handle	AGP100056	\$18	AGP100056	\$18

HOSE REEL CARTS ... GO MOBILE

Available with 15m or 30m hose reel kits.
Assembly of cart and mounting of hose reel required

Model	Reel Cart 3,500	Reel Cart 4,000
S/codes	AD30001 (reel) AGP2100436 (cart)	ADHR40100D (reel) AGP2100436 (cart)
Pressure rating	3,500 psi (240 bar)	4,000 psi (275 bar)
Hose length	15m	30m
Hose type	R2 5/16"	R2 3/8"
Whip hose	0.25m	1.4m
	\$988	\$1,318

Smart Cart with 30m hose reel kit



Smart Cart with 15m hose reel kit (shown with Aussie Black Box fitted, refer p 32)



SEWER HOSE REEL KITS Simply mount, great value



NEW SS Double stacker hose reel kit

1. 5,000 psi rated reel with 60m of sewer hose. (requires joining hoses & couplings)
2. Low pressure steel reel with 35m of 3/4" supply hose

3/8" AD-SSDSC-8 3/8 \$4,114

1/4" AD-SSDSC-8 \$3,790

**Dual Stacker without hose
AD MNDS4418SS \$2,580**



NEW Stainless Steel reel

+ Low pressure with 35m of 3/4" supply hose
A4418SS-LPASSY \$1,392



NEW stainless steel reel 5,000 psi Reel only

A4418SS-REEL ... \$1,069

**Reel fitted with 60m of
5,000 psi Redflex sewer hose**

3/8" ... A4418SS 3/8-60M \$2,828

1/4" ... A4418SS RF8-60M \$2,504

Replacement parts for reels ... page 73

SECURE YOUR JETTER ... Aussie Cobra Loc

- Easy bolt down to vehicle
- Secures Cobra jetter in transit
- Eliminates frame stress
- Quick release for jetter maintenance
- Pad lockable

**SS version
ACRADLECOBRA-SS
\$630**



SAFETY PLATE ... protects operator

Designed to make jetting safer & easier.
Prevents jetting nozzle accidentally returning out of the drain.

AD MSP \$223



500 BAR SAFETY GEAR (more p80)

Aussie Jet Stop boots

ATST5652025xx \$612
(xx = size 42-48)

Safety gloves

ATSTP5600025xxS \$304
(xx = size 9 or 11)

Hose Shroud

ATST56600455920 \$314



AUSSIE VIPER MINI REEL ... NEW DELUXE STAINLESS STEEL OPTION Remote control of Jetter

Leave your jetter in the ute & extend your reach to 120m (60m on jetter & 60m on mini reel)

- Stainless steel stand/handle
- Integrated on/off valve that allows remote control of jetter
- 60m of Redflex 3/16" sewer hose or 1/4" sewer hose
- 3 nozzle holders
- Pressure gauge
- 17 kgs (shipping weight 24kg, Dim 475 x 455x620 mm)

AMINIREEL/WHOSE (Cobra & King Cobra) \$2,231

AMINIREELWH1/4" (Python) \$2,310

Deluxe Stainless steel version

AMINIREEL-SS/WHOSE (Cobra & King Cobra) \$2,880

AMINIREEL-SS/1/4 (Python) \$2,940

Reel Lock

Secure your Mini Reel to the ute with a locking stainless steel plate complete with securing bolts & padlock
AD MRLP \$223



Replacement parts

Swivel	AD MNRS134	\$144
Repair kit (circlip & o-rings)	AD MNRRK	\$38
3/8" Ball valve (with handle)	MTM00089502	\$80
Ball valve extended handle only	AD BVH	\$50
Locking pin & spring	AD MNR PL	\$35
Handle	A2589	\$49

FOOT VALVE Essential for Class B safety

350 BAR foot valve adds a second level of operator control, in addition to gun trigger



AST350-2605	(foot valve)	\$696
AD MFVPH	(whip hose kit)	\$263
AD HT12-M	(QC plug)	\$41
C20024550	(SS QC)	\$76

AUSSIE SAFETY EYEWEAR

Aussie tinted safety glasses (ANSI Z87.1) equivalent to AS/NZS 1337



AP-SAFETYGLASSES \$10

NEW HOSE RESTRAINT



Stainless steel **hose restraint** sock with carabiner & anchor plate. Connects between hose and gun or mini reel couplings.

Required with Class B machines under AS/NZS4233.1

AD HRSS10 (3/8" thermoplastic hose) \$142

AD HRSS8 (1/4" thermoplastic hose) \$142

Replacement anchor plate

AHRANCHORPLATE \$9.80
(attaches restraint to gun/lance or mini reel)

DRAIN CLEANING JETTER NOZZLE BOX Clear a full range of chokes



Standard

- Predator Penetrator Nozzle Complete
- Negotiator Invader Nozzle Complete
- Compressor Invader Nozzle with Adapter,
- Turbo Root Mulching Nozzle reverse spinning nozzle
- Nozzle Tip Cleaner
- Spare 1/4" coupler
- 3/16" allen key

AD NOZZLE BOX \$1,135

King Cobra A

- Side Cutter Penetrator Screwdriver Complete
- Negotiator Invader Nozzle Complete
- Compressor Invader Nozzle with Adapter,
- Turbo Root Mulching Nozzle reverse spinning nozzle
- Nozzle Tip Cleaner
- Spare 1/4" coupler
- 3/16" allen key

AD NOZZLEBOX-KCA \$1,135