

HIGH PRESSURE HOSE

TOP QUALITY HP HOSE AT VALUE PACKED PRICES

HIGH PRESSURE CLEANING HOSES ... GREAT PRICES

Super high quality Aussie Pump high pressure hose range rated up to 600 bar, 8,700 psi

Check condition of hoses daily & replace regularly. Most water blasting injuries are caused by worn or damaged hoses.

WHIP HOSES

CONNECTING HOSE REELS TO MACHINES

3/8" R2 wire braid hose 5,800 psi (400 bar) & hot water (with female 3/8" ends)



Length	S/code	
1m	AHW06FB6FB6X1	\$35
2m	AHW06FB6FB6X2	\$51
3m	AHW06FB6FB6X3	\$70
4m	AHW06FB6FB6X4	\$86

HOBBY GUN/LANCE HOSE UPGRADE KIT

Hobby gun kit complete with AL13 gun, Vario lance & 8 metres of wire braid pro high pressure hose

Includes 14mm to 15mm coupling adaptor (M85300159)



PIGTAIL WRAPPED, COLD **WATER HOSE**

3/8TH R2 (DOUBLE wire braid hose) to 4,785 psi (330 bar)

4,785 psi black hose, pigtail wrapped for extra hose protection against abrasion from dragging on rough

surfaces and general

3/8 FEMALE ENDS (see couplings below)

10m	AR206FB6FB6PT10	\$318	
30m	AR206FB6FB6PT30	\$865	
M22 couplings swaged on			
10m	AKENNHOSEKIT1	\$372	

AUSSIE BLUE-PRO M22 ENDS

%" R2 (double wire braid hose) to 5,800 psi (400 bar) with M22 swaged couplings. Suits both cold & hot water machines. Non marking hose, suits all brands of professional pressure cleaners

- 5,800 psi rated hose
- Max water temp 155°C
- Suit all Class A professional blasters to 4,000 psi
- M22 couplings crimped (4,000 psi rated)

AUSSIE BLUE-PRO FEMALE ENDS

%" R2 (double wire braid hose) to 5,800 psi (400 bar) with female swaged ends. Suits both cold & hot water machines Non marking hose, suits all brands of professional pressure cleaners

- 5,800 psi rated hose
- Max water temp 155°C
- % F ends (couplings ordered separately)
- Suit all Class A blasters to 5,000 psi professional blasters



2m	AHW06FB6FB6X2	\$51
10m	AHW06FB6FB6X10	\$224
20m	AHW06FB6FB6X20	\$371
30m	AHW06FB6FB6X30	\$556
50m	AHW06FB6FB6X50	\$860
100m	AHW06FB6FB6X100	\$1,725

DON'T FORGET COUPLINGS





M22 QC (4,000 psi) M24 QC (5,000 psi)

Cou	ipiings, & a	associated o-rings,	ror noses
M21	12003540	(QC M22) 2 required	\$25 each
AGP	100880	(o-ring for M22 coupling)	\$0.45 each
MPA	126065050	(QC M24) 2 required	\$53 each
M21	12003660	Nipple to join two hoses with female ends.	\$17



DAMAGED & WORN HOSE CAN CAUSE SERIOUS INJURIES!



Check your hose daily for abrasion & replace at the first sign of wear.



100 pack



HIGH PRESSURE HOSE

Under AS/NZ 4233.2:2103, Section 6 paras 6.4.2 & 6.4.3 cover marking of hoses assemblies, hoses used on Class B machines must be certified.

5,000 PSI AUSSIE BLUE-PRO CLASS B CERTIFIED

Certified Aussie Blue-Pro hose %" R2 (double wire braid hose) to 5,800 psi (400 bar) with female swaged ends.
Suits both cold & hot water machines
Non marking hose, suits all brands of professional pressure cleaners

- Suit all Class B blasters to 5,000 psi professional blasters
- . Individual hose test certificate
- 5,800 psi rated hose
- Max water temp 155°C
- % F ends
- Suffix 'C' in stock code indicates certified hose

2m	AHW06FB6FB6X2C	\$130
10m	AHW06FB6FB6X10C	\$304
20m	AHW06FB6FB6X20C	\$450
30m	AHW06FB6FB6X30C	\$641
50m	AHW06FB6FB6X50C	\$947
100m	AHW06FB6FB6X100C	\$1,804



SUPERTUFF HP HOSE WITH SS FITTINGS

Supertuff hose %" R2 (double wire braid hose) to 5,800 psi (400 bar) with 316 stainless steel female swaged ends.
Suits marine applications.

- Suit all Class B blasters to 5,000 psi professional blasters
- 5,800 psi rated hose
- Max water temp 155°C
- 3/8 316 stainless steel F ends
- Call for more length options

30r	n ASTSS06FB6	FB6X30 \$1,040	

7,300 PSI (500 BAR) ULTRA HIGH PRESSURE HOSE

%" R2 wire braid hose, 3/8 M BSP ends, 150° C rated, for Quick Couplings refer p 54

- . 7,300 psi rated (500 bar)
- Max water temp 150°C,
- 3/8 M ends
- . Individual hose test certificate
- suit all Aussie Raptors & other 500 bar blasters

Additional coupler may be required to fit replacement hose to gun (refer p65 AR9 500 bar couplings)

2m	A3641443039	\$505
10m	A3641443109	\$763
20m	A3641443209	\$1,118
30m	A3641443309	\$1,427



8,700 PSI (600 BAR) ULTRA HIGH PRESSURE HOSE

R2 wire braid hose, M24 couplings, 150°C rated,

- . 8,700 psi rated (600 bar)
- Individual hose test certificate



10m	A3686976109	poa
20m	A3686976209	\$1,296
30m	A3686976309	\$1,660

NEW HOSE RESTRAINT

Stainless steel hose restraint sock with carabiner & bracket. Connects between hose and gun or mini reel couplings. Use to restrain the hose in the event of a coupling failure . Required with Class B machines under AS/NZS4233.1



AD HRSS10 (3/8" thermoplastic hose) \$142
AD HRSS8 (1/4" thermoplastic hose) \$142
AHRANCHORPLATE \$9.80

(attaches restraint to gun/lance or mini reel)

SPECIALIST SEWER CLEANING HOSE

More flexible, smaller diameter, extra long lengths. Hard wearing but not as robust as double wire braid hose used on pressure cleaners.

AUSSIE REDFLEX SEWER HOSE

The super strong thermoplastic coating means the hose is stiffer but harder wearing. (5,000 psi, 1/4 BSP M ends)

- ¼" for general drain clearing (60m)
 AHOSE RF8-60M
 \$1,054
- 3/16" for gullies & tight corners (60m)
 AHOSE RF6-60M
 \$962
- 3/8" for large flow machines (60m) (3/8" M ends) AHOSER8 3/8 60M \$1,312

AUSSIE SUPER WORM HOSE (15 METRES)

"", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends. Complete with Compressor Nozzle & 1/4" quick fit tail.

AHOSER8 1/8 15M NOW \$463



HOSE REELS

WORK SAFE ... REMOVE TRIP HAZARDS & EXTEND HOSE LIFE

AUSSIE 'REEL MATE' HOSE REEL KITS WITH HOSE GREAT VALUE

The best value when you're buying both reel & hose! Includes hose reel, R2 double braid hp hose, whip hose & mount.

Mount to machine frame, truck bed or wall ... IT'S EASY!





AUSSIE HOSE REELS ...

Extend hose life & improve safety ... store extra long hose lengths (hose sold separately). Whip hose included.





Model	Reel mate 3,500		Reel Mate 4,000	
S/code	AD30001		ADHR40100D	
Pressure rating	3,500 psi (240 ba	r)	4,000 psi (27	5 bar)
Hose length	15m		30m	
Hose type	R2 5/16"		R2 ¾"	
Whip hose	0.25m		1.4m	
Inlet	M22 F QC		M22 F QC	
Outlet	M22 F QC		M22 F QC	
Foot print suits Scuds	✓		✓	
Weight	12 kg		25 kg	
Boxed dimensions LxWxH	300 x 290 x 340m	ım	400 x 350 x 4	150mm
	\$640		\$970	
Replacement parts				
Replacement swivel	AGP100887	\$101	AGP2103051	\$119
Repair kit	AGP2100278	\$33	AGP2100278	\$33
QC nipple to connect to gun	C1500.24	\$12	C1500.24	\$12
Replacement handle	AGP100056	\$18	AGP100056	\$18
Replacement hose	AHW06M22X2X15	\$340	AHW06M22X2X	30 \$556

Model	Reel 5030	Reel 5045	
S/code	ADHR50100D	ADHR50150D	
Pressure rating	5,000 psi (350 bar)	5,000 psi (350 bar)	
Hose capacity	30m	50m	
Inlet	¾" M swivel	¾" M swivel	
Outlet	3/8" NPT F	3/8" NPT F	
Footprint suits Scud frames	~	✓	
Weight	8 kg	8 kg	
Boxed dimensions LxWxH	390 x 330 420mm	390 x 330 420	
	\$521	\$545	
Replacement parts			
Replacement swivel	AGP2103051 \$119	AGP2103051 \$119	
Repair kit	AGP2100278 \$33	AGP2100278 \$33	
Replacement handle	AGP100056 \$18	AGP100056 \$18	

HOSE REEL CARTS ... GO MOBILE

Available with 15m or 30m hose reel kits. Assembly of cart and mounting of hose reel required

Model	Reel Cart 3,500	Reel Cart 4,000	
S/codes	AD30001 (reel) AGP2100436 (cart)	ADHR40100D (reel) AGP2100436 (cart)	
Pressure rating	3,500 psi (240 bar)	4,000 psi (275 bar)	
Hose length	15m	30m	
Hose type	R2 5/16"	R2 ¾"	
Whip hose	0.25m	1.4m	
	\$988	\$1,318	





Aussie Pumps *

HOSE REELS & HOSE REEL KITS

Takes up to

80m of %" 5,000 psi hose 120m of 1/4" jetting hose,

> Swivel rated to 130°C Locking pin

Heavy duty mounting plate

1/2" M inlet and 3/8" outlet 5,000 psi hose &

whip hose sold separately As used on Aussie Cobra Deluxe Jetter range

Friction brake

A4418SS-REEL

STAINLESS STEEL REELS ... **HOT WATER RATED**

Designed to withstand harsh environments, 304 stainless steel hose reels are rated to 130°C and up to 6,000 psi.



Takes up to 30m of 3/2" 5,000 psi Aussie BluePro hose, 60m of 1/4" jetting hose, 80m of 3/16" jetting hose

- Swivel rated to 130°C
- Locking pin
- Heavy duty mounting plate
- ½" M inlet and 3/8" outlet
- 5,000 psi hose & whip hose sold separately
- As used with the Aussie Scud blaster range

AD MN134SS

\$869

NEW 4,000 PSI STAINLESS STEEL 134 REEL KIT

Stainless steel mini reel fitted with 30m of 36" 5,000 psi Aussie BluePro hose,

- Swivel rated to 130°C
- Locking pin
- Heavy duty mounting plate
- 4,000 psi rated M22 M couplings on hose inlet & outlet (non swaged)
- 1.3m whip hose
- Suits Aussie Scud, Ultra & Monsoon series

A134SS/30MBPH \$1,460



AUSSIE DRAIN CLEANING KITS ... STANDARD & DELUXE

Convert your pressure washer to a drain cleaning jetter. Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose and safety plate.

Standard ADRAINKIT \$3,589






Deluxe ADRAINKIT-SS \$4,238

Reel fitted with 60m of 5,000 psi Redflex sewer hose 3/8" ... A4418SS 3/8-60M \$2.828 1/4" ... A4418SS RF8-60M \$2,504 Low pressure stainless steel reel with 35m of 3/4" supply hose A4418SS-LPASSY \$1,392 **NEW Double stacker hose reels** (stainless steel) Includes mount with control valve & pressure gauge, low pressure reel with 35m of 3/4" supply hose, 60 metres of 5,000 psi Redflex sewer hose (requires joining hoses & couplings)

\$1,069



Supplied without hose

AD MNDS4418SS \$2.580

Replacement parts ... Stainless Steel 134 & 4418 reels

Whip hose (2m)	5,000 psi	AHW06FB6FB6X2	\$51
Replacement swivel	4418	AD MNRS4418	\$144
	134	AD MNRS134	\$144
Swivel seal kit		AD MNRRK	\$38
Replacement handle		A2589	\$49
Locking pin		AD MNR PL	\$35



6,000 PSI STAINLESS STEEL HOSE REEL ... 4418 SS



