



AUSSIE HYDROTEK BRILLIANT DESIGN ... TOUGH ON GRIME

The **Aussie Hydroteks** are compact, high pressure, mobile steam cleaners with serious cleaning power. They are designed to perform heavy duty cleaning without needing any outside electrical power.

An invaluable tool for councils, property management companies, service companies, mechanics or anyone requiring a mobile cleaning solution for dirt, grease and grime.

Key features

- Industrial petrol/diesel engines
- Heavy duty triplex pump
- Rugged 'Pro-Tect-It' frame with stainless steel panels for corrosion resistance
- 12v or 110v low voltage diesel fired burner system
- Available skid mounted, trailer mounted
- Clean & capture system option
- Mine spec versions ... super tough



Aussie Hydrotek JAWS ... p48 & 50



Aussie Hydro-Loop Clean & Capture ... p51



AUSSIE HYDROTEK ... PETROL BRILLIANT DESIGN, TOUGH ON GRIME



HSS40005HH

- ♦ **Heavy duty** triplex pump with brass pump head
- ♦ **Adjustable temperature** up to 130°C, steam melts grease without using chemicals.
- ♦ **Water tight electrical box** with battery.
- ♦ **Robust "Pro-TECT"** steel frame with built-in lifting eyes for transportation.
- ♦ **Stainless steel panels** and boiler cover.
- ♦ **"Two gun operation"** available on AF versions (reduces flow to 10 lpm per gun)
- ♦ **Battery ordered separately** (ABATTERYHW \$240)

Specifications

	Safety Class	Pressure	EWI with turbo	Flow	Max Temp	Engine	Pump	Nozzle size	Loop option
COMMERCIAL SERIES ... up to 20 hrs per week, 12v low voltage burner									
HSS40005HH	A	4,000 psi (275 bar)	6,485 psi	18 lpm	130°C	Honda GX630	AR	045 (15°, 40°) 035 (25° steam)	No
INDUSTRIAL SERIES ... over 20 hrs per week, 110v burner with on-board generator									
HSC40005HAF#	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	Honda GX630	Bertolini	025,035,045, 050 (all 15°)	Yes

Stock codes & pricing

	Weight & Dimensions (LxWxH) m			
HSS40005HH	HSS40005HH	204 kg	1.2x0.66x1.02	\$22,900
HSC40005HAF#	HSC40005HAF	306 kg	1.3x0.9x1.0	\$24,624

Accessories supplied with machine

Hose	AHW06M22X2X15	15m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance
Nozzle	C915 __ Q	Quick tip nozzle

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-__ GLK	(insert nozzle size)	\$489
Head only (with Quick Coupler tail)		
CTN400-__ H	(insert nozzle size)	\$367
CD10077	(coupling to suit)	\$13

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%
Stainless steel flat surface cleaners
Clean four times faster, leaving a streak free finish. Standard nozzles included



AGPDFSC22Z	\$1,624
(22" Cyclone 80°C max)	
HANT28	\$3,109
(28" Twister 120°C max)	

Extra length hose ... CONVENIENT

p 70

Cleaning large plant?... reach further with these extra length **Aussie Blue-Pro hoses**, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 couplings sold separately)



AHW06FB6FB6X20	(20m)	\$371
AHW06FB6FB6X30	(30m)	\$556
AHW06FB6FB6X50	(50m)	\$860
M212003540	(M22 QC)	\$25 (2 required)
M212003660	nipple to join 2 hoses	\$17

5,000 psi Stainless Steel Hose Reel

p 73

Takes up to 80m of 3/4" 5,000 psi hose

- ♦ Swivel rated to 130°C
- ♦ Locking pin
- ♦ Friction brake
- ♦ Heavy duty mounting plate
- ♦ 1/2" M inlet and 3/8" outlet
- ♦ 5,000 psi hose & whip hose sold separately



A4418SS-REEL	\$1,069
AHW06FB6FB6X2	(2m whip hose) \$48

Drain Cleaning Kit, SAFE & SIMPLE

p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose.

Includes Safety Plate.	
ADRAINKIT	\$3,589
Deluxe, stainless steel mini reel version	
ADRAINKIT-SS	\$4,238



AUSSIE HYDROTEK ... DIESEL BRILLIANT DESIGN, TOUGH ON GRIME



HSCX50005DG ... shown here installed on trailer with optional stainless steel hose reels

- ♦ **Heavy duty** triplex pump with brass pump head
- ♦ **Adjustable temperature** up to 130°C, steam melts grease without using chemicals
- ♦ **Water tight electrical box** with battery
- ♦ **Robust "Pro-protect" steel frame** with built-in lifting eyes for transportation
- ♦ **Stainless steel panels** and boiler cover
- ♦ **"Two gun operation** available on AF versions (reduces flow to 10 lpm per gun)
- ♦ **Battery ordered separately** (ABATTERYHW \$240)



5 year coil warranty on 5,000 psi machines



see p48-49

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-__GLK	(insert nozzle size)	\$489
CTN400-__GLKM24	(insert nozzle size)	\$502
Head only (with Quick Coupler tail)		
CTN400-__H	(insert nozzle size)	\$367
CD10077	(coupling to suit)	\$13

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z \$1,624

(22" Cyclone 80°C max)

HANT28 \$3,109

(28" Twister 120°C max)



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length

Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 & M24 couplings sold separately)



AHW06FB6FB6X20	(20m)	\$371
AHW06FB6FB6X30	(30m)	\$556
AHW06FB6FB6X50	(50m)	\$860
M212003540	(M22 QC)	\$25 (2 required)
MPA26065050	(M24 QC)	\$53 (2 required)
M212003660	nipple to join 2 hoses	\$17

5,000 psi Stainless Steel Hose Reel

p 73

Takes up to 80m of 3/4" 5,000 psi hose

- ♦ Swivel rated to 130°C
- ♦ Locking pin
- ♦ Friction brake
- ♦ Heavy duty mounting plate
- ♦ 1/2" M inlet and 3/8" outlet
- ♦ 5,000 psi hose & whip hose sold separately



A4418SS-REEL \$1,069

AHW06FB6FB6X2 (2m whip hose) \$48

Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full **Aussie Jetters Tool Box**, including quick coupler to fit to end of blaster high pressure hose. **Includes Safety Plate.**



ADRAINKIT \$3,589

Deluxe, stainless steel mini reel version

ADRAINKIT-SS \$4,238

Specifications

	Safety Class	Pressure	EWP with turbo	Flow lpm	Burner voltage	Engine	Pump	Nozzle size	Loop option
HSCX40005DB12	A	4,000 psi (275 bar)	6,485 psi	20	12v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°, 25°, 40°)	No
HSCX40005DG	A	4,000 psi (275 bar)	6,485 psi	20	110v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°, 25°, 40°)	Yes
HSCX50005DG	B	5,000 psi (350 bar)	8,500 psi	18	110v	Kubota 20HP	Interpump TSF 1821	040 (M, 15°, 25°, 40°)	Yes

Stock codes & pricing

		Weight & Dimensions (LxWxH) m		
HSCX40005DB12	HSCX40005DB12	310 kg	1.3 x 0.82 x 1.2	\$35,079
HSCX40005DG	HSCX40005DG	310 kg	1.3 x 0.82 x 1.2	\$34,890
HSCX50005DG*	HSCX50005DG	395 kg	1.3 x 0.9 x 1.0	Poa

*



Class B machines supplied with **emergency stop** & **FREE** hose restraint

Accessories supplied with machine

Hose	AHW06M22X2X15	15m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance



PPE to 500 bar ... p 80

HYDRO-TEK MOBI STEAM BLASTERS

The **Hydrotek series** are high pressure, mobile steam cleaners with serious cleaning power. They are self contained so no external power or water source is required.



HSC40005HAF skid mount



A skid mounted mobile steam cleaner with it's own water supply that is ideal for on site cleaning for plant and equipment!

- ♦ **Aussie Hydrotek** self contained steam cleaner
- ♦ **880L water tank** with float, drain valve, low level cut out sensor, lid with strainer and level indicator (Additional sizes available.)
- ♦ **Heavy duty skid base** with anti-vibration dampeners and lifting points (cube mounted option available)
- ♦ **Double stacker hose reel** (supplied separately)
- ♦ **High pressure reel** and base mount with 30 metres of 3/8" R2 high pressure outlet hose and screw quick couplings
- ♦ **Low pressure reel** and 30 metres 3/4" heavy duty reinforced supply hose
- ♦ **Two gun operation available** on selected models
- ♦ **Battery ordered separately** (ABATTERYHW \$240)

Specifications

	Safety Class	Pressure	EWI with turbo	Flow	Max Temp	Burner voltage	Engine	Pump	Nozzle size
PETROL POWERED									
HSS40005HH	A	4,000 psi (275 bar)	6,485 psi	18 lpm	130°C	12v	Honda GX630	AR	045 (15°, 40°) 035 (25° steam)
HSC40005HAF#	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	110v	Honda GX630	Bertolini	025,035,045, 050 (all 15°)
DIESEL POWERED									
HSCX40005DB12	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	12v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°,25°,40°)
HSCX40005DG	A	4,000 psi (275 bar)	6,485 psi	20 lpm	130°C	110v	Kubota 17HP	Interpump TSF 1819	050 (Q type, 15°,25°,40°)

Stock codes & pricing

		Weight & Dimensions (LxWxH) m		
HSS40005HH	HSS40005HHSM	1150 kg	2.03 x 1.3 x 1.2	poa
HSC40005HAF#	HSC40005HAFSM	1250 kg	2.03 x 1.3 x 1.2	poa
HSCX40005DB12	HSCX40005DB12SM	1300 kg	2.03 x 1.3 x 1.2	poa
HSCX40005DG	HSCX40005DGSM	1300 kg	2.03 x 1.3 x 1.2	poa

Accessories supplied with machine

Hose	AHW06M22X2X10	10m R2 3/8"
Gun	CGPDG5010	5,000 psi pro gun
Lance	C3905.16 + CD10073	1200mm single lance



see p 48 – 50

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-__GLK	(insert nozzle size)	\$489
Head only (with Quick Coupler tail)		
CTN400-__H	(insert nozzle size)	\$367
CD10077	(coupling to suit)	\$13

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z	\$1,624
(22" Cyclone 80°C max)	
HANT28	\$3,109
(28" Twister 120°C max)	



Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes **Aussie Viper Mini Reel** with 60 metres of 3/16" sewer hose. Full Aussie Jetties Tool Box, including quick coupler to fit to end of blaster high pressure hose and safety plate.



ADRAINKIT	\$3,589
Deluxe, stainless steel mini reel version	
ADRAINKIT-SS	\$4,238

