

### AUSSIE TOP GUNS ... COMPLETE PRO GUN/LANCE KITS

SAVE MONEY, SAVE TIME ... HAPPINESS IS THE FEEL OF A NEW GUN




#### AUSSIE 4,000 PSI PRO-GUN KIT—DUAL



- 5,000 psi Aussie Pro Gun (M22 inlet)
- 4,000 psi stainless steel dual lance (1019mm)
- 2 x Laser cut nozzles  
(including one detergent, low pressure nozzle)

	nozzle	single buy	10 pack buy (each)
APROGUN-DUAL-035	035	<b>\$287</b>	\$215
APROGUN-DUAL-045	045	<b>\$287</b>	\$215

#### AUSSIE 5,000 PSI PRO-GUN KIT—SINGLE



- 5,000 psi Aussie Pro Gun (M22 inlet)
- 5,000 psi rated stainless steel single lance
- Laser cut nozzle (030, 035, 045)
- Packed weight 2kg
- Boxed dimensions 1180mm x 210mm x 45mm (900mm kit)

	lance	nozzle	single buy	10 pack buy (each)
APROGUN-900-030	900mm	030	<b>\$162</b>	\$121
APROGUN-900-035	900mm	035	<b>\$162</b>	\$121
APROGUN-900-045	900mm	045	<b>\$162</b>	\$121
APROGUN-1200-035	1200mm	035	<b>\$174</b>	\$130
APROGUN-1200-045	1200mm	045	<b>\$174</b>	\$130

#### PA 5,000 PSI PRO-GUN KIT



- 5,100 psi RL56 Spray Gun (Inlet: 3/8" BSP F)
- 5,000 psi rated 800mm stainless steel single lance with melted handle
- Laser cut nozzle & nipple to connect hose sold separately

MPA3045600	gun/lance kit	<b>\$197</b>
MPA13.5050.51	nipple	\$34
C915 ___ M	nozzle	\$20



#### NEW PA 500 BAR PRO-GUN KIT



- RL 57 7,250 psi (500 bar), 28 lpm, 160°C, permissible pressure 8,000 psi (Inlet 3/8" BSP F)
- 5,800 psi (400 bar) 1050mm lance with melted handle , permissible pressure 6,400 psi, 160°C, Outlet 1/4" NPT F
- Ceramic nozzle sold separately (page 60)

MPA30473000	gun/lance kit	<b>\$575</b>
-------------	---------------	--------------



**WARNING ... LEAKING GUNS ARE DANGEROUS!**

### GREAT RANGE, HUGE STOCKS, EXCEPTIONAL PRICES

▲ ◆ ● ◆ ▲ Match the symbols for best compatibility between gun, lance, turbo and hose

#### HOBBY GUN UPGRADE KIT

(Pro kit for hobby machines)

**2,700 psi (190 bar)**  
hobby gun complete  
with Vario lance  
& 7 metres of wire braid  
pro high pressure hose  
Includes 14mm to 15mm  
coupling adaptor



AGPDGLNH120

\$139

#### NEW COMMERCIAL AL13

(Aussie Cougar & AB22, AB30)



AL13 (with M22 inlet)

**3,340 psi (230 bar)**, 30 lpm, 60°C

Permissible pressure 3,700 psi

Inlet M22 QC M

Outlet M22 QC F

300mm lance extension with user friendly grip

Use with vario lance or single lance



M4021108007

\$61

#### NEW PROFESSIONAL AL55

(all Aussie 3,000 & 4,000 psi blasters & steam cleaners) ◆

AL55 (with M22 & swivel)

**4,500 psi (310 bar)**, 45 lpm, 160°C

Permissible pressure 5,075 psi

Inlet M22 QC M

Outlet M22 QC F



300mm lance extension, use with single or double lance

M4022209003

\$82

**C0601.23** o-ring (suits couplings with back-up ring) \$16

**C01177407600** back up ring (suits couplings with back-up ring) \$15



#### INDUSTRIAL VEGA + EXTENSION

PA VEGA gun & S3 extension ●

**4,500 psi (310 bar)**, 40 lpm, 160°C

Permissible pressure 5,100 psi, 1.1kg

370mm melted handle, stainless steel pipe

Inlet 3/8" BSP M (with swivel)

Outlet M22 QC F

MPA30208300

\$145

(25 pack bulk buy ... call for details)



#### INDUSTRIAL SPRAY GUN

(all Aussie 5,000 psi blasters & steam cleaners) ◆

DG5010

**5,000 psi (350 bar)**, 40 lpm, 160°C

Inlet 3/8" G F

Outlet 1/4" G F

Use with extended double lance or

extended single lance

CGPDG5010

\$78

(20 pack bulk buy ... call for details)

Replacement safety clip AGP2660026 \$7



#### INDUSTRIAL SPRAY GUN

(with swivel) ◆



RL37 with swivel

**4,500 psi (310 bar)**, 40 lpm, 160°C

Permissible pressure 5,000 psi, 564 gms

Inlet 3/8" BSP F (with swivel)

Outlet 1/4" BSP F

Use with extended double lance

or extended single lance

MPA30122000

\$86

(15 pack bulk buy ... call for details)



#### INDUSTRIAL RL56 COMPENSATED

Spray Gun (used on Aussie Predators & Hurricanes) ◆

**5,100 psi (350 bar)**, 30 lpm, 160°C

Permissible pressure 5,650 psi, 672gms

Inlet 3/8" BSP F

Outlet 1/4" BSP F

MPA30450010

(8 pack bulk buy ... call for details)

\$122



#### 8,000 PSI RL 84 SPRAY GUN

(all Aussie Raptor Hydro-blasters) ■

**7,300 psi (500 bar)**, 80 lpm, 100°C, 1.3kg

Permissible pressure 8,100 psi

Inlet 1/2" BSP F

Outlet 1/2" BSP F

Use P/A single lance

MPA30540000

\$415

(300mm shoulder rest MPA30506000 \$49)



## A LANCE FOR ALL OCCASSIONS



Match the symbols for best compatibility between gun, lance, turbo and hose

### T10 VARIO ZOOM NOZZLE & LANCE



**3,000 psi (200 bar)**, 30 lpm, 60°C, Permissible pressure 3,200 psi

Length 585mm

Inlet M22

Use with AL13

C4723.45.115



\$82

### LANCE EXTENSION



Stainless steel extension with melted handle

**4,000 psi (275 bar)**, permissible pressure 5,000 psi,

40 lpm, 150°C, Inlet 1/4" G M, Outlet 1/4" G M

(If used with AL13 or AL55 gun requires nipple C1500.05 \$9)

300 mm C3804.00 \$37



### STAINLESS SINGLE LANCE



with melted handle, tip protector & nozzle holder



(If used with AL13 or AL55 gun requires nipple C1500.05 \$9)

**4,500 psi (310 bar)**, permissible pressure 5,075 psi,

40 lpm, 150°C, Inlet 1/4" G M, Outlet 1/4" NPT F



400 mm	C3930.00	\$37	1200 mm	C3905.16	\$63
700 mm	C3905.14	\$42	1500 mm	C3905.17	\$76
900 mm	C3905.15	\$50	2000 mm	C3905.19	\$92

Requires M series nozzle, sold separately, p60

To use with Q series (Quik Tip) nozzles add fixed QC (CD10073 \$18)

Replacement nozzle protector C3718.02 \$7.50

### STAINLESS DOUBLE LANCE



Heavy duty, stainless steel double lance, suits all pro guns

**3,625 psi (250 bar)**, 40 lpm, 150°C, permissible pressure 4,060 psi

Length 684mm  
Inlet M22 M  
Outlet 2x1/4" NPT F  
S/code: C3924.01  
\$97



Require two M series nozzles, sold separately, p60



### PA EXTENDED SINGLE LANCE



with melted handle and protector



**5,000 psi (350 bar)**, 30 lpm, 160°C,

permissible pressure 5,650 psi (390 bar),

Inlet 1/4" BSP M

Outlet 1/4" NPT F

800 mm	MPA40025800	\$101
1050 mm	MPA40026100	\$122

Requires M series nozzle, sold separately, p60  
(8 pack bulk buy ... call for details)



### STAINLESS DOUBLE LANCE with extension



Heavy duty, stainless steel double lance, suits all pro guns

**3,625 psi (250 bar)**, 40 lpm, 150°C, permissible pressure 4,060 psi

Length 1019mm  
Inlet 1/4" G M  
Outlet 2 x 1/4" NPT F  
S/code: C3916.03  
\$155



Require two M series nozzles, sold separately, p60

### RL 800 500 BAR PA SINGLE S/S LANCE



Suits RL84, **7,300 psi (500 bar)**,

Permissible pressure 8,100 psi, 200 lpm,

43°C, Inlet 1/2" BSP M, Outlet 1/4" NPT F

400mm	MPA30500040	\$209
800mm	MPA30500080	\$269
1250mm	MPA30500092	\$387

Requires M series nozzle, sold separately, p60



### SAVE WATER & CUT TIMES ... TURBO BOOST

Aussie turbos use the water's velocity to increase the effective working pressure (EWP). Let Aussie Turbomaster do the work for you!

#### AUSSIE TURBOMASTER



Commercial series (220 bar)

**3,200 psi, 60 lpm**, EWP up to 4,500 psi, 500mm, M22 inlet

Nozzle size: 030

Suits: Cougar, AB30, F140, Black Box, Scud 100

M4042100004 lance & head **\$145**

#### AUSSIE TURBOMASTER 255



Professional series, 500mm lance & head

**3,700 psi (255 bar) 40 lpm**, EWP up to 4,785 psi, 300

Max temp: 90°C Inlet (lance) M22 x 1.5 M Weight: 450 gms

CTN255-\_\_\_ lance & head **\$198**  
Sizes available ... 030, 035, 045, 050

#### AUSSIE TURBOMASTER 310



Professional series, 500mm lance & head

**4,400 psi (310 bar) 24 lpm**, EWP up to 6,294 psi

Max temp: 90°C Inlet (lance) M22 x 1.5 M Weight: 600 gms

CTN310-\_\_\_ lance & head **\$242**  
Sizes available ... 035, 045, 050

#### AUSSIE TURBOMASTER 400



Professional series, 500mm lance & head

**5,800 psi (400 bar) 40 lpm**, EWP up to 8,500 psi

Max temp: 90°C Inlet (lance) M22 x 1.5 M Weight: 900 gms

CTN400-\_\_\_ lance & head **\$364**  
Sizes available ... 030, 035, 045, 050, 055, 075

#### PRO TURBO GUN KITS ... FAST, TOOL FREE CHANGEOVER



Professional turbo gun lance kit

**255 bar, 310 bar & 350 bar**

EWP up to 8,500 psi\*, 900mm lance

Max temp: 90°C Inlet (gun) M22



**Up to 3,500 psi, boosts EWP to max 4,785 psi\* (All Brands)**

CTN255-030GLK suits AB30 **\$286**

CTN255-045GLK suits Scud 350 **\$286**

**Up to 4,400 psi, boosts EWP to max 6,295 psi\* (All Brands)**

CTN310-030GLK suits AB40 **\$310**

CTN310-035GLK suits Scud 400, Atlas **\$310**

CTN310-050GLK suits Ultra A **\$310**

**Up to 5,000 psi, boosts EWP to max 8,500 psi\* (All Brands)**

CTN400-035GLK Pred A **\$398**

**Call for bulk pricing** (\*dependant on pump capability)

#### 500 BAR TURBO GUN KIT



**7,300 psi, 500 bar, 40 lpm**, EWP up to 12,000 psi

RL 57 spray gun with 1050mm lance, gun, with QC M24 nipple & 500 bar turbo head.

CTN500-020GLK suits Raptor 12 **\$2,077**

CTN500-030GLK suits Raptor 16,18 **\$2,077**

sCTN500-030GLK suits Raptor 16,18 **\$2,077**

#### AUSSIE TURBOMASTER HEADS

**Semi pro series**

**3,400 psi (234 bar)**

EWP up to 4,785 psi

Max temp: 90°C

Inlet QC plug



FNA40143 **\$87**

**Professional series**

**3,700 psi (255 bar)**

EWP up to 4,785 psi

Max temp: 90°C

Inlet 1/4" F

Weight 300 gms



CTN255-\_\_\_H **\$160**

Sizes available ...  
020, 025, 030, 035, 040, 045,  
050, 055, 060, 065, 070, 075,  
100, 150

**Repair kit**  
CTN255-\_\_\_REP **\$102**

**Professional series**

**4,400 psi (310 bar)**

EWP to 6,294 psi

Max temp: 90°C

Inlet 1/4" F

Weight 450 gms



CTN310-\_\_\_H **\$205**

Sizes available ...  
030, 035, 045, 050,

**Repair kit**  
CTN310-\_\_\_REP **\$112**

**Professional series**

**5,800 psi (400 bar)**

EWP to 8,500 psi

Max temp: 90°C

Inlet 1/4" F

Weight 750 gms



CTN400-\_\_\_H **\$298**

Sizes available ...  
030, 035, 040, 045, 050, 055,  
060, 065, 070, 075, 080, 085

**Repair kit**  
CTN400-\_\_\_REP **\$134**

**500 bar series**

**7,300 psi, 500 bar**

EWP to 12,000 psi

Max temp: 90°C

Inlet 1/4" F

Weight 700 gms



CTN500-\_\_\_H **\$1,559**

Sizes available ...  
020, 025, 030, 035, 040, 045,  
050, 055, 060, 065, 070, 075,  
080

**Repair kit**  
CTN500-\_\_\_REP **\$1,038**

### HIGH PRESSURE NOZZLES CHANGE THAT NOZZLE

Worn nozzles cause loss of pressure & can lead to machine failure. Nozzles should be changed on a regular basis.

Drain cleaning nozzles ... see p 30



#### Nozzle selection table

Size	0° (pencil jet)	15° (fan)	25° (fan)	40° (fan)
020	C900020	C915020	C925020	C940020
025	C900025	C915025	C925025	C940025
030	C900030	C915030	C925030	C940030
035	C900035	C915035	C925035	C940035
040	C900040	C915040	C925040	C940040
045	C900045	C915045	C925045	C940045
050	C900050	C915050	C925050	C940050
055	C900055	C915055	C925055	C940055
060	C900060	C915060	C925060	C940060
065	C900065	C915065	C925065	C940065
070	C900070	C915070	C925070	C940070
075	C900075	C915075	C925075	C940075
080	C900080	C915080	C925080	C940080
085	C900085	C915085	C925085	C940085
090	C900090	C915090	C925090	C940090
095	C900095	C915095	C925095	C940095
100	C900100	C915100	C925100	C940100
105	C900105	C915105	C925105	C940105
110	C900110	C915110	C925110	C940110
115	C900115	C915115	C925115	C940115
120	C900120	C915120	C925120	C940120
125	C900125	C915125	C925125	C940125

#### SINGLE BUY NOZZLES

Look up size & angle of required nozzle in selection table then add a 'M' for a Laser Cut nozzle or 'Q' for a Quik Tip nozzle

##### Laser Cut (Inlet: 1/4" NPT)



Add 'M' to code  
(eg C900080M)  
(NOT AVAILABLE IN 40°)



**BEST BUY**

\$20

Detergent Nozzle

C915500MSS \$20

##### Quik Tip



Add 'Q' to code  
(eg C900080Q)

\$18

Detergent Nozzle  
(Black 65°)

C965400Q \$18

#### LASER CUT 'M' SERIES NOZZLE 5 PACKS

S/code	Qty in pack	Tip angle	
C915__M-P1	5	15	\$88
Packs available for sizes 020 to 065			
C915500MSS-P1	5	Detergent	\$88



**BEST BUY**

#### QUIK TIP 'Q' SERIES NOZZLE 5 PACKS

S/code	Qty in pack	Nozzle size	
C105082Q	5	030	\$68
C105083Q	5	035	\$68
C105084Q	5	040	\$68
C105085Q	5	045	\$68
C105087Q	5	055	\$68



**BEST BUY**

Quik Tip (Q) nozzles 5 pack...


Tip:  
Use a fixed quick coupler to connect a Q series nozzle to a lance with a 1/4" NPT female outlet (see below)



#### Quik Tip 'Q' Series Colour Guide

Red ... 0°

Pencil jet for maximum effect



Yellow ... 15°

Cleaning heavily stained areas



Green ... 25°

General purpose nozzle for larger areas



White ... 40°

Lightly stained flat surfaces



Black ... 65°

Low pressure detergent nozzle



#### GP FIXED QUICK COUPLING

Max pressure 6,000 psi (410 bar), stainless steel quick connect couplers to connect Aussie Quik Tip nozzles to end of lance

	S/code	Inlet	Outlet	
A	CD10072	1/4" QC	1/4 G - F	\$23
B	CD10073	1/4" QC	1/4 G - M	\$23



(A) (B)

#### AUSSIE WHITE TIP ... 500 bar

Ceramic Tipped Nozzles .... SAFER, LONGER LASTING

500 bar 0° & 15°, nozzle material ceramic, inlet 1/4" NPT M ...

\$131 each

Size	0° (pencil jet)	15° (fan)
025	M0124006100	M0124006110
030	M0124006200	M0124006210
035	M0124006300	M0124006310
040	M0124006400	M0124006410
045	M0124006500	M0124006510
050	M0124006600	M0124006610



### How to Read the Chart

1. Main chart area is flow in litres per minute.
2. Look up the pump psi in the heading and read down that column to the approximate flow. Read off the MEG size in the row heading.
3. Drop one size because calculation should always be made using 93% of pump flow.

MEG	Sizing for vario & grit-blast heads	Flow in l/min at the indicated pressures																											
		20 BAR	30 BAR	40 BAR	50 BAR	60 BAR	70 BAR	80 BAR	90 BAR	100 BAR	110 BAR	120 BAR	130 BAR	140 BAR	150 BAR	160 BAR	180 BAR	200 BAR	220 BAR	250 BAR	280 BAR	310 BAR	340 BAR	370 BAR	400 BAR	450 BAR	500 BAR		
		290 psi	435 psi	580 psi	725 psi	870 psi	1015 psi	1160 psi	1305 psi	1450 psi	1595 psi	1740 psi	1885 psi	2030 psi	2175 psi	2320 psi	2610 psi	2900 psi	3190 psi	3625 psi	4060 psi	4560 psi	5000 psi	5440 psi	5880 psi	6525 psi	7250 psi		
020	0,99	2	2,5	2,8	3,2	3,5	3,7	4	4,2	4,5	4,7	4,9	5,1	5,3	5,5	5,7	6	6,4	6,7	7,6	7.7	8.1	8.2	8.8	9.2	9.8	10.3		
025	1,00	2,5	3.1	3.5	4	4.3	4.7	5	5.3	5.6	5.9	6.1	6.4	6.6	6.9	7.1	7.5	7.9	8.3	8.9	9.4	9.9	10.3	10.8	11.2	11.9	12.5		
030	1,09	3,1	3,7	4,3	4,8	5,3	5,7	6,1	6,3	6,8	7,2	7,4	7,7	8	8,3	8,7	9,2	9,6	10	10.8	11.4	12	12.5	13.1	13.6	14.4	15.2		
035	1,15	3,6	4,4	5,1	5,6	6,2	6,7	7,3	7,7	8,1	8,4	8,8	9,2	9,6	9,9	10,4	10,9	11,4	12	12.6	13.4	14.1	14.8	15.4	16.0	17.0	17.9		
040	1,19	4,2	5,2	5,9	6,6	7,3	7,8	8,4	8,9	9,4	9,8	10,3	10,7	11,1	11,5	11,9	12,4	13,2	14,1	14.1	14.7	16.0	16.9	17.5	18.2	19.3	20.3		
045	1,27	4,5	5,5	6,4	7,1	7,8	8,4	9	9,6	10,2	10,6	11,2	11,6	11,8	12,5	12,6	13,2	14,4	15	16.3	17.2	18.1	19.0	19.5	20.6	21.8	23.0		
050	1,35	5	6,2	7,1	8	8,7	9,4	10	10,7	11,3	11,7	12,1	12,9	13,4	13,8	14,3	15,1	15,9	16,9	17.9	18.9	19.9	20.9	21.8	22.7	24.2	25.5		
055	1,4	5,6	6,8	7,8	8,7	9,6	10,3	11,1	11,8	12,4	13	13,5	14,1	14,7	15,2	15,7	16,4	17,5	18,6	19.8	20.9	22.0	23.0	24.0	25.0	26.5	28.0		
060	1,47	6	7,4	8,6	9,6	10,4	11,3	12,1	12,8	13,6	14,2	14,9	15,5	16	16,6	17,2	18	19,2	20,4	21.5	22.9	24.1	25.3	26.4	27.4	29.1	30.6		
065	1,52	6,6	8	9,3	10,4	11,3	12,3	13,2	14	14,7	15,5	16,1	16,7	17,4	18	18,6	19,4	20,7	22	22.9	24.8	26.1	27.3	28.5	29.6	31.4	33.1		
070	1,6	7,1	8,6	10	11,2	12,2	13,2	14,1	15	15,8	16,6	17,3	18	18,7	19,3	20,1	21,3	22,3	23,7	25.3	26.8	28.2	29.5	30.8	32.0	33.9	35.8		
075	1,65	7,6	9,3	10,7	12	13,1	14,2	15,2	16,1	16,9	17,7	18,5	19,2	20	20,7	21,4	22,6	23,8	25,3	27.0	28.6	30.1	31.5	32.9	34.2	36.2	38.2		
080	1,7	8	9,8	11,3	12,7	14	11,1	16,1	17,1	18	18,9	19,7	20,5	21,3	22	22,8	23,8	25,4	27	28.8	30.5	32.0	33.6	35.0	36.4	36.8	40.7		
085	1,75	8,5	10,4	12,1	13,5	14,8	16	17,1	18,1	19,1	20	20,9	21,7	22,5	23,4	24	25,5	27	28,2	30.7	32.5	34.2	35.8	37.3	38.8	41.2	43.4		
090	1,8	9.8	11.5	13.3	14.8	16.3	17.6	18.8	19.9	21.0	22.0	23.0	23.9	24.8	25.7	26.6	28.2	29.7	31.1	33.2	33.5	37.0	38.7	40.4	42.0	44.5	47.0		
095	1,85	9.7	11.9	13.4	15.4	16.8	18.1	19.4	20.0	21.7	22.7	23.8	24.7	25.9	26.9	27.8	29.5	31.1	32.6	34.8	36.8	38.7	40.6	42.3	44.0	46.7	49.2		
100	1,9	10	12.3	14.2	16.0	17.8	19.2	20.6	21.8	23.0	24.1	25.2	26.2	27.2	28.2	29.1	30.9	32.5	34.1	35.4	38.5	40.5	42.4	44.2	46.0	48.8	51.4		
110	1,98	11.1	13.6	15.7	17.6	19.3	20.8	22.2	23.6	24.9	26.2	27.4	28.5	29.6	30.6	31.6	33.5	35.4	37.1	39.5	41.8	44.0	46.1	48.1	50.0	53.0	55.9		
120	2,08	12.1	14.8	17.2	19.2	21.0	22.7	24.3	25.8	27.1	28.1	29.4	30.0	31.8	32.9	34.0	36.0	38.0	39.8	42.4	45.0	47.6	50.2	51.9	54.0	57.3	60.4		
125	2,13	12.7	15.6	18.0	20.1	22.0	23.8	25.5	27.0	28.5	29.5	30.8	32.1	33.3	34.5	35.6	37.8	39.8	41.8	44.5	46.9	49.3	51.6	53.9	56.0	59.4	62.6		
130	2,16	13.2	16.1	18.6	20.8	22.8	24.6	26.3	27.9	29.4	30.8	32.2	33.5	34.8	36.0	37.2	38.9	42.5	44.5	47.4	50.2	52.8	55.3	57.7	60.0	63.6	67.1		
140	2,26	14.2	17.4	20.0	22.4	24.5	26.5	28.4	30.1	31.7	33.2	34.7	36.1	37.5	38.8	40.1	42.5	44.8	47.0	50.1	53.2	56.3	59.4	61.7	64.4	67.9	71.6		
150	2,34	15.1	18.5	21.3	23.9	26.1	28.3	30.2	32.1	33.8	35.6	37.2	38.7	40.2	41.6	43.0	45.6	48.0	50.4	53.7	57.0	59.9	62.7	65.4	68.0	72.1	76.0		
160	2,41	16.2	19.8	22.9	25.6	28.0	30.3	32.4	34.4	36.2	37.8	39.5	41.1	42.7	44.2	45.6	48.4	51.0	53.5	57.0	60.2	63.4	66.4	69.2	72.0	76.4	80.5		
180	2,54	18.2	22.3	25.7	29.0	31.8	34.3	36.7	38.6	41.0	43.0	44.9	46.7	48.5	50.2	51.9	55.0	58.0	60.8	64.8	68.6	72.2	75.6	78.9	82.0	87.0	91.7		
200	2,69	20.1	24.7	28.5	32.5	35.6	38.5	41.1	43.6	46.0	48.2	50.4	52.4	54.4	56.3	58.2	61.7	65.1	68.2	72.7	77.0	81.0	84.8	88.5	92.0	97.6	102.9		
250	2,99	25.2	30.9	35.7	39.8	43.6	47.1	50.4	53.4	56.4	59.1	61.8	64.3	67.0	69.1	71.3	75.1	79.8	84.0	89.3	94.6	99.9	105.2	109.8	114.1	120.9	127.5		