

TOP QUALITY HP HOSE AT VALUE PACKED PRICES

HIGH PRESSURE CLEANING HOSES ... GREAT PRICES

Super high quality Aussie Pump high pressure hose range rated up to 600 bar, 8,700 psi



Check condition of hoses daily & replace regularly.
Most water blasting injuries are caused by worn or damaged hoses.

WHIP HOSES

CONNECTING HOSE REELS TO MACHINES

3/8" R2 wire braid hose
5,800 psi (400 bar) & hot water
(with female 3/8" ends)



Length	S/code	
1m	AHW06FB6FB6X1	\$28
2m	AHW06FB6FB6X2	\$41
3m	AHW06FB6FB6X3	\$57
4m	AHW06FB6FB6X4	\$71

AUSSIE BLUE-PRO M22 ENDS

3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with M22 swaged couplings.
Suits both cold & hot water machines.
Non marking hose, suits all brands of professional pressure cleaners

- 5,800 psi rated hose
- Max water temp 155°C
- Suit all Class A professional blasters to 4,000 psi
- M22 couplings crimped (4,000 psi rated)



8m	AHW06M22X2X8	\$131
10m	AHW06M22X2X10	\$163

HOBBY GUN/LANCE HOSE UPGRADE KIT

2,700 PSI (190 BAR)



2,700 psi (190 bar)

hobby gun complete with Vario lance
& 7 metres of R1 high pressure hose
Includes 14mm to 15mm coupling adaptor

AGPDGLNH120 \$139

AUSSIE BLUE-PRO FEMALE ENDS

3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with female swaged ends.
Suits both cold & hot water machines
Non marking hose, suits all brands of professional pressure cleaners

- 5,800 psi rated hose
- Max water temp 155°C
- 3/8 F ends
- Suit all Class A blasters to 5,000 psi professional blasters



2m	AHW06FB6FB6X2	\$41
10m	AHW06FB6FB6X10	\$184
20m	AHW06FB6FB6X20	\$305
30m	AHW06FB6FB6X30	\$462
50m	AHW06FB6FB6X50	\$714
100m	AHW06FB6FB6X100	\$1,420

PIGTAIL WRAPPED, COLD WATER HOSE

3/8" R2 (DOUBLE wire braid hose) to 4,785 psi (330 bar)
4,785 psi black hose, pigtail wrapped for extra hose protection against abrasion from dragging on rough surfaces and general ware.

3/8 FEMALE ENDS



10m	AR206FB6FB6PT10	\$313
30m	AR206FB6FB6PT30	\$719



DAMAGED & WORN HOSE
CAN CAUSE SERIOUS INJURIES!



Check your hose daily for abrasion and replace at the first sign of wear.



M22 QC



M24 QC

Couplings for hoses

M212003540 (QC M22) 2 required	\$19 each
MPA26065050 (QC M24) 2 required	\$37 each

Under AS/NZ 4233.2:2103 ,Section 6 paras 6.4.2 & 6.4.3 cover marking of hoses assemblies, hoses used on Class B machines must be certified.

5,000 PSI AUSSIE BLUE-PRO CLASS B CERTIFIED

Certified Aussie Blue-Pro hose 3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with female swaged ends.

Suits both cold & hot water machines

Non marking hose, suits all brands of professional pressure cleaners

- Suit all **Class B** blasters to 5,000 psi professional blasters
- **Individual hose test certificate**
- 5,800 psi rated hose
- Max water temp 155°C
- 3/8" F ends

2m	AHW06FB6FB6X2C	\$106
10m	AHW06FB6FB6X10C	\$249
20m	AHW06FB6FB6X20C	\$370
30m	AHW06FB6FB6X30C	\$527
50m	AHW06FB6FB6X50C	\$779
100m	AHW06FB6FB6X100C	\$1,485



SPECIALIST SEWER CLEANING HOSE

More flexible Hard wearing Smaller diameter Extra long lengths



7,300 PSI (500 BAR) ULTRA HIGH PRESSURE HOSE

3/8" R2 wire braid hose, 3/8" M BSP ends, 150°C rated, for Quick Couplings refer p 54

- 7,300 psi rated (500 bar)
- Max water temp 150°C,
- 3/8" M ends
- **Individual hose test certificate**
- suit all Aussie Raptors & other 500 bar blasters

Additional coupler may be required to fit replacement hose to gun (refer p65 AR9 500 bar couplings)


10m	A3641443109	\$616
20m	A3641443209	\$903
30m	A3641443309	\$1,153



8,700 PSI (600 BAR) ULTRA HIGH PRESSURE HOSE

R2 wire braid hose, M24 couplings, 150°C rated,

- 8,700 psi rated (600 bar)
- **Individual hose test certificate**



10m	A3686976109	poa
20m	A3686976209	poa
30m	A3686976309	poa

NEW HOSE RESTRAINT

Stainless steel hose restraint sock with carabiner & bracket. Connects between hose and gun or mini reel couplings. Use to restrain the hose in the event of a coupling failure . Required with Class B machines under AS/NZS4233.1



AD HRSS10 (3/8" thermoplastic hose)	\$120
AD HRSS8 (1/4" thermoplastic hose)	\$95
AHRANCHORPLATE	\$7
(attaches restraint to gun/lance or mini reel)	

AUSSIE REDFLEX SEWER HOSE

The super strong thermoplastic coating means the hose is stiffer but harder wearing. (5,000 psi ,1/4" BSP M ends)

- 1/4" for general drain clearing (60m)
AHOSE RF8-60M \$775
- 3/16" for gullies & tight corners (60m)
AHOSE RF6-60M \$709
- 3/8" for large flow machines (60m) (3/8" M ends)
AHOSE8 3/8 60M \$943



AUSSIE SUPER WORM HOSE (15 METRES)

1/2", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends. Complete with compressor nozzle & quick fit tail.

AHOSE8 1/8 15M **NOW \$373**



WORK SAFE ... REMOVE TRIP HAZARDS & EXTEND HOSE LIFE

AUSSIE 'REEL MATE' HOSE REEL KITS WITH HOSE GREAT VALUE

The best value when you're buying both reel & hose!
Includes hose reel, R2 double braid hp hose, whip hose & mount.
Mount to machine frame, truck bed or wall ... **IT'S EASY!**



Model	Reel mate 3,500		Reel Mate 4,000	
S/code	AD30001		ADHR40100D	
Pressure rating	3,500 psi (240 bar)		4,000 psi (275 bar)	
Hose length	15m		30m	
Hose type	R2 5/16"		R2 3/8"	
Whip hose	0.25m		1.4m	
Inlet	M22 F QC		M22 F QC	
Outlet	M22 F QC		M22 F QC	
Foot print suits Scud frames	✓		✓	
Weight	12 kg		25 kg	
Boxed dimensions LxWxH	300 x 290 x 340mm		400 x 350 x 450mm	
	\$523		\$782	
Replacement swivel	AGP100887	\$79	AGP2103051	\$93
Repair kit	AGP2100278	\$25	AGP2100278	\$25
QC nipple to connect to gun	C1500.24	\$9	C1500.24	\$9
Replacement handle	AGP100056	\$13	AGP100056	\$13

AUSSIE HOSE REELS ...

Extend hose life & improve safety ... store extra long hose lengths (hose sold separately).
Whip hose included.



Model	Reel 5030	Reel 5045
S/code	ADHR50100D	ADHR50150D
Pressure rating	5,000 psi (350 bar)	5,000 psi (350 bar)
Hose capacity	30m	50m
Inlet	3/8" M swivel	3/8" M swivel
Outlet	3/8" NPT F	3/8" NPT F
Footprint suits Scud frames	✓	✓
Weight	8 kg	8 kg
Boxed dimensions LxWxH	390 x 330 420mm	390 x 330 420
	\$418	\$441
Replacement swivel	AGP2103051 \$93	AGP2103051 \$93
Repair kit	AGP2100278 \$25	AGP2100278 \$25
Replacement handle	AGP100056 \$13	AGP100056 \$13
Additional couplings may be required		

HOSE REEL CARTS ... GO MOBILE

Available with 15m or 30m hose reel kits.
Assembly of cart and mounting of hose reel required

Model	Reel Cart 3,500		Reel Cart 4,000	
S/codes	AD30001 (reel)		ADHR40100D (reel)	
	AGP2100436 (cart)		AGP2100436 (cart)	
Pressure rating	3,500 psi (240 bar)		4,000 psi (275 bar)	
Hose length	15m		30m	
Hose type	R2 5/16"		R2 3/8"	
Whip hose	0.25m		1.4m	
	\$731		\$990	



NEW AUSSIE RETRACTABLE HOSE REEL KITS ... CONVENIENT & SAFER (5,000 psi)

Wash bay essential ... **INDUSTRIAL**



Includes 20 metre 400 bar high pressure hose with M22 coupling.
Made in USA.

APW7600OHP106

poa



More options available ... call for details

5,000 PSI HEAVY DUTY HOSE REEL ... 4418

Takes up to 80m of 3/8" 5,000 psi hose

- ♦ Locking pin
- ♦ Friction brake
- ♦ Heavy duty mounting plate
- ♦ 5,000 psi hose and whip hose sold separately

A4418-REEL

\$629



Whip hose (2m)	5,000 psi cold/hot water	AHW06FB6FB6X2	\$41
Replacement swivel	1/2" x 3/8"	AD MNRS4418	\$158
Swivel repair kit		AD MNRRK	\$37
Replacement handle		A2589	\$40

STAINLESS STEEL REELS HOT WATER RATED

The Hydrotek hose reels are made with rust-proof stainless & zinc plated steel to withstand harsh environments. 304 stainless steel hose reel, **rated to 120°C**, for use with hot water pressure cleaners.



	Hydrotek Reel 150	Hydrotek Reel 151	Hydrotek Reel 152	Hydrotek Reel 700	Hydrotek Reel 425 (pivoting reel)	Double Stack Hydrotek Reel 325 (two reels + frame)		
Model	HAR150	HAR151	HAR152	HAR700	HAR425	HAR325		
Pressure rating	5,000 psi (350 bar)	5,000 psi (350 bar)	Low pressure	7,300 psi (500 bar)	5,000 psi (350 bar)	5,000 psi (350 bar)		
Hose capacity	30m	75m	25m (of 3/4" hose)	30m	45m	75m (each)		
Inlet	3/8 F	3/8 F	3/8 F	3/8 F	3/8 F	3/8 F		
Outlet	3/8 F	3/8 F	3/8 F	3/8 F	3/8 F	3/8 F		
Footprint suits Scud frames	✓	x	x	x	x	x		
Weight	12 kg	12 kg	12 kg	12 kg	12 kg	45 kg		
Boxed dimensions LxWxH (mm)	470 x 470 x 480	470 x 470 x 480	470 x 470 x 480	470 x 470 x 480				
	\$611	\$770	\$509	\$1,344	\$832	\$1,577		
Whip hose	Refer p 60, specify fittings required when ordering							
Replacement swivel	HDR058	\$166	HDR058		HDR058	\$166	HDR058	\$166
Swivel Repair kit	HDR059	\$37	HDR059		HDR059	\$37	HDR059	\$37



HAR150 ...
friction brake with infinite drag settings to prevent free-spooling.



HAR151 ... 5,000 psi swivel
locking pin & super heavy duty mounting plate



HAR425...
Pivoting reel, for machine or wall mounting, friction brake, 360° rotation (gun & hose sold separately)



SAVE SPACE ... HAR325
2 reels, double stacked, one HAR151 + one low pressure supply reel with capacity for 45m low pressure hose



HYDRO TEK.US



Hose reels extend hose life & add safety & convenience.

5,000 PSI STAINLESS STEEL HOSE REEL ... 4418 SS

Takes up to 80m of 3/8" 5,000 psi hose

- ♦ Locking pin
- ♦ Friction brake
- ♦ Heavy duty mounting plate
- ♦ 5,000 psi hose & whip hose sold separately

A4418SS-REEL

\$824




AUSSIE DRAIN CLEANING KIT

Convert your pressure washer to a drain cleaning jetter. Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose and safety plate.

ADRAINKIT

\$3,090



More drain jetting accessories p 30