

TOP QUALITY HP HOSE AT VALUE PACKED PRICES

HIGH PRESSURE CLEANING HOSES ... GREAT PRICES

Super high quality Aussie Pump high pressure hose range rated up to 600 bar, 8,700 psi



Check condition of hoses daily & replace regularly.
Most water blasting injuries are caused by worn or damaged hoses.

HIGH PRESSURE ACCESSORIES

WHIP HOSES

CONNECTING HOSE REELS TO MACHINES

3/8" R2 wire braid hose
5,800 psi (400 bar) & hot water
(with female 3/8" ends)



| Length | S/code | |
|--------|---------------|------|
| 1m | AHW06FB6FB6X1 | \$31 |
| 2m | AHW06FB6FB6X2 | \$45 |
| 3m | AHW06FB6FB6X3 | \$62 |
| 4m | AHW06FB6FB6X4 | \$77 |

AUSSIE BLUE-PRO M22 ENDS

3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with M22 swaged couplings.

Suits both cold & hot water machines.
Non marking hose, suits all brands of professional pressure cleaners

- 5,800 psi rated hose
- Max water temp 155°C
- Suit all Class A professional blasters to 4,000 psi
- M22 couplings crimped (4,000 psi rated)



| | | |
|-----|---------------|-------|
| 8m | AHW06M22X2X8 | \$142 |
| 10m | AHW06M22X2X10 | \$177 |

HOBBY GUN/LANCE HOSE UPGRADE KIT

Hobby gun kit complete with AL13 gun, Vario lance & 8 metres of wire braid pro high pressure hose

Includes 14mm to 15mm coupling adaptor

AGPDGLNH120

\$151



AUSSIE BLUE-PRO FEMALE ENDS

3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with female swaged ends.

Suits both cold & hot water machines
Non marking hose, suits all brands of professional pressure cleaners

- 5,800 psi rated hose
- Max water temp 155°C
- 3/8" F ends (couplings ordered separately)
- Suit all Class A blasters to 5,000 psi professional blasters



| | | |
|------|-----------------|---------|
| 2m | AHW06FB6FB6X2 | \$45 |
| 10m | AHW06FB6FB6X10 | \$199 |
| 20m | AHW06FB6FB6X20 | \$330 |
| 30m | AHW06FB6FB6X30 | \$499 |
| 50m | AHW06FB6FB6X50 | \$772 |
| 100m | AHW06FB6FB6X100 | \$1,534 |

PIGTAIL WRAPPED, COLD WATER HOSE

3/8" R2 (DOUBLE wire braid hose) to 4,785 psi (330 bar)
4,785 psi black hose, pigtail wrapped for extra hose protection against abrasion from dragging on rough surfaces and general ware.



3/8" FEMALE ENDS (see couplings below)

| | | |
|-----|-----------------|-------|
| 10m | AR206FB6FB6PT10 | \$285 |
| 30m | AR206FB6FB6PT30 | \$777 |

M22 couplings swaged on

| | | |
|-----|---------------|-------|
| 10m | AKENNHOSEKIT1 | \$327 |
|-----|---------------|-------|

DON'T FORGET COUPLINGS



M22 QC (4,000 psi)

M24 QC (5,000 psi)

Couplings, & associated o-rings, for hoses

| | |
|---|-------------|
| M212003540 (QC M22) 2 required | \$21 each |
| AGP100882 (o-ring for M22 coupling) | \$0.40 each |
| MPA26065050 (QC M24) 2 required | \$40 each |
| Nipple to join two hoses with female ends. (M212003660) | \$15 |



DAMAGED & WORN HOSE CAN CAUSE SERIOUS INJURIES!



BLASTER BLITZ 6 | ISSUE 2

Under AS/NZ 4233.2:2103 ,Section 6 paras 6.4.2 & 6.4.3 cover marking of hoses assemblies, hoses used on Class B machines must be certified.

5,000 PSI AUSSIE BLUE-PRO CLASS B CERTIFIED

Certified Aussie Blue-Pro hose 3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with female swaged ends.

Suits both cold & hot water machines

Non marking hose, suits all brands of professional pressure cleaners


- Suit all **Class B** blasters to 5,000 psi professional blasters
- **Individual hose test certificate**
- 5,800 psi rated hose
- Max water temp 155°C
- 3/8" F ends

| | | |
|------|------------------|---------|
| 2m | AHW06FB6FB6X2C | \$115 |
| 10m | AHW06FB6FB6X10C | \$269 |
| 20m | AHW06FB6FB6X20C | \$400 |
| 30m | AHW06FB6FB6X30C | \$570 |
| 50m | AHW06FB6FB6X50C | \$842 |
| 100m | AHW06FB6FB6X100C | \$1,604 |



SPECIALIST SEWER CLEANING HOSE

More flexible, hard wearing, smaller diameter, extra long lengths



7,300 PSI (500 BAR) ULTRA HIGH PRESSURE HOSE

3/8" R2 wire braid hose, 3/8 M BSP ends, 150°C rated, for Quick Couplings refer p 54

- 7,300 psi rated (500 bar)
- Max water temp 150°C,
- 3/8" M ends
- **Individual hose test certificate**
- suit all Aussie Raptors & other 500 bar blasters

Additional coupler may be required to fit replacement hose to gun (refer p65 AR9 500 bar couplings)

| | | |
|-----|-------------|---------|
| 10m | A3641443109 | \$666 |
| 20m | A3641443209 | \$976 |
| 30m | A3641443309 | \$1,246 |



AUSSIE REDFLEX SEWER HOSE

The super strong thermoplastic coating means the hose is stiffer but harder wearing. (5,000 psi ,1/4 BSP M ends)

- 1/4" for general drain clearing (60m)
AHOSE RF8-60M **\$837**
- 3/16" for gullies & tight corners (60m)
AHOSE RF6-60M **\$766**
- 3/8" for large flow machines (60m) (3/8" M ends)
AHOSE8 3/8 60M **\$1,019**



8,700 PSI (600 BAR) ULTRA HIGH PRESSURE HOSE

R2 wire braid hose, M24 couplings, 150°C rated,

- 8,700 psi rated (600 bar)
- **Individual hose test certificate**



| | | |
|-----|-------------|---------|
| 10m | A3686976109 | poa |
| 20m | A3686976209 | \$1,132 |
| 30m | A3686976309 | \$1,450 |

NEW HOSE RESTRAINT

Stainless steel hose restraint sock with carabiner & bracket. Connects between hose and gun or mini reel couplings. Use to restrain the hose in the event of a coupling failure . Required with Class B machines under AS/NZS4233.1



| | |
|--|-------|
| AD HRSS10 (3/8" thermoplastic hose) | \$130 |
| AD HRSS8 (1/4" thermoplastic hose) | \$103 |
| AHRANCHORPLATE | \$8 |
| (attaches restraint to gun/lance or mini reel) | |

AUSSIE SUPER WORM HOSE (15 METRES)

1/8", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends. Complete with compressor nozzle & quick fit tail.

AHOSE8 1/8 15M **NOW \$436**



WORK SAFE ... REMOVE TRIP HAZARDS & EXTEND HOSE LIFE

AUSSIE 'REEL MATE' HOSE REEL KITS WITH HOSE GREAT VALUE

The best value when you're buying both reel & hose!
Includes hose reel, R2 double braid hp hose, whip hose & mount.
Mount to machine frame, truck bed or wall ... **IT'S EASY!**



| Model | Reel mate 3,500 | Reel Mate 4,000 |
|------------------------|---------------------|---------------------|
| S/code | AD30001 | ADHR40100D |
| Pressure rating | 3,500 psi (240 bar) | 4,000 psi (275 bar) |
| Hose length | 15m | 30m |
| Hose type | R2 5/16" | R2 3/8" |
| Whip hose | 0.25m | 1.4m |
| Inlet | M22 F QC | M22 F QC |
| Outlet | M22 F QC | M22 F QC |
| Foot print suits Scuds | ✓ | ✓ |
| Weight | 12 kg | 25 kg |
| Boxed dimensions LxWxH | 300 x 290 x 340mm | 400 x 350 x 450mm |
| | \$588 | \$892 |

| | | | | |
|-----------------------------|---------------------|------|---------------------|-------|
| Replacement swivel | AGP100887 | \$86 | AGP2103051 | \$101 |
| Repair kit | AGP2100278 | \$27 | AGP2100278 | \$27 |
| QC nipple to connect to gun | C1500.24 | \$10 | C1500.24 | \$10 |
| Replacement handle | AGP100056 | \$15 | AGP100056 | \$15 |
| Replacement hose | AHW06M22X2X15 \$320 | | AHW06M22X2X30 \$541 | |

AUSSIE HOSE REELS ...

Extend hose life & improve safety ... store extra long hose lengths (hose sold separately).
Whip hose included.



| Model | Reel 5030 | Reel 5045 |
|-----------------------------|---------------------|---------------------|
| S/code | ADHR50100D | ADHR50150D |
| Pressure rating | 5,000 psi (350 bar) | 5,000 psi (350 bar) |
| Hose capacity | 30m | 50m |
| Inlet | 3/8" M swivel | 3/8" M swivel |
| Outlet | 3/8" NPT F | 3/8" NPT F |
| Footprint suits Scud frames | ✓ | ✓ |
| Weight | 8 kg | 8 kg |
| Boxed dimensions LxWxH | 390 x 330 420mm | 390 x 330 420 |
| | \$452 | \$477 |

| | | | | |
|--------------------|------------|-------|------------|-------|
| Replacement swivel | AGP2103051 | \$101 | AGP2103051 | \$101 |
| Repair kit | AGP2100278 | \$27 | AGP2100278 | \$27 |
| Replacement handle | AGP100056 | \$15 | AGP100056 | \$15 |

Additional couplings may be required

HOSE REEL CARTS ... GO MOBILE

Available with 15m or 30m hose reel kits.
Assembly of cart and mounting of hose reel required

| Model | Reel Cart 3,500 | Reel Cart 4,000 |
|-----------------|-------------------------------------|--|
| S/codes | AD30001 (reel) AGP2100436 (cart) | ADHR40100D (reel) AGP2100436 (cart) |
| Pressure rating | 3,500 psi (240 bar) | 4,000 psi (275 bar) |
| Hose length | 15m | 30m |
| Hose type | R2 5/16" | R2 3/8" |
| Whip hose | 0.25m | 1.4m |
| | \$886 | \$1,190 |



Smart Cart with 30m hose reel kit



Smart Cart with 15m hose reel kit (shown with Aussie Black Box fitted, refer p 32)

NEW AUSSIE RETRACTABLE HOSE REEL KITS ... CONVENIENT & SAFER (5,000 psi)

Wash bay essential ... **INDUSTRIAL**



Includes 20 metre 400 bar high pressure hose with M22 coupling.
Made in USA.

A76000HP106-20

\$1,906



More options available ... call for details

5,000 PSI HEAVY DUTY HOSE REEL ... 4418

Takes up to 80m of 3/8" 5,000 psi hose

- ◆ Locking pin
- ◆ Friction brake
- ◆ Heavy duty mounting plate
- ◆ 5,000 psi hose and whip hose sold separately
- ◆ 1/2" M inlet and 3/8" outlet

A4418-REEL

\$680



| | | | |
|--------------------|--------------------------|---------------|-------|
| Whip hose (2m) | 5,000 psi cold/hot water | AHW06FB6FB6X2 | \$45 |
| Replacement swivel | 1/2" x 3/8" | AD MNRS4418 | \$171 |
| Swivel repair kit | | AD MNRRK | \$40 |
| Replacement handle | | A2589 | \$44 |



STAINLESS STEEL REELS HOT WATER RATED

The Hydrotek hose reels are made with rust-proof stainless & zinc plated steel to withstand harsh environments. 304 stainless steel hose reel, **rated to 120°C**, for use with hot water pressure cleaners.



| Model | Hydrotek Reel 150 | Hydrotek Reel 151 | Hydrotek Reel 152 | Hydrotek Reel 700 | Hydrotek Reel 425 (pivoting reel) | Double Stack Hydrotek Reel 325 (two reels + frame) |
|-----------------------------|--|---------------------|---------------------|---------------------|-----------------------------------|--|
| S/code | HAR150 | HAR151 | HAR152 | HAR700 | HAR425 | HAR325 |
| Pressure rating | 5,000 psi (350 bar) | 5,000 psi (350 bar) | Low pressure | 7,300 psi (500 bar) | 5,000 psi (350 bar) | 5,000 psi (350 bar) |
| Hose capacity | 30m | 75m | 25m (of 3/4" hose) | 30m | 45m | 75m (each) |
| Inlet | 3/8" F | 3/8" F | 3/8" F | 3/8" F | 3/8" F | 3/8" F |
| Outlet | 3/8" F | 3/8" F | 3/8" F | 3/8" F | 3/8" F | 3/8" F |
| Footprint suits Scud frames | ✓ | x | x | x | x | x |
| Weight | 12 kg | 12 kg | 12 kg | 12 kg | 12 kg | 45 kg |
| Boxed dimensions LxWxH (mm) | 470 x 470 x 480 | 470 x 470 x 480 | 470 x 470 x 480 | 470 x 470 x 480 | | |
| | \$660 | \$831 | \$550 | \$1,452 | \$899 | \$1,704 |
| Whip hose | Refer p70, specify fittings required when ordering | | | | | |
| Replacement swivel | HDR058 \$180 | HDR058 \$180 | | | HDR058 \$180 | HDR058 \$180 |
| Swivel Repair kit | HDR059 \$40 | HDR059 \$40 | | | HDR059 \$40 | HDR059 \$40 |

500 BAR

HAR150 ...
friction brake with infinite drag settings to prevent free-spooling.



HAR151 ... 5,000 psi swivel
locking pin & super heavy duty mounting plate

HAR152 ... low pressure swivel
locking pin & super heavy duty mounting plate



SAVE SPACE ... HAR325
2 reels, double stacked, one HAR151 + one low pressure supply reel with capacity for 45m low pressure hose



HAR425...
Pivoting reel, for machine or wall mounting, friction brake, 360° rotation (gun & hose sold separately)



Hose reels extend hose life & add safety & convenience.

6,000 PSI STAINLESS STEEL MINI REEL ... 134SS

Takes up to 30m of 3/8" 5,000 psi Aussie BluePro hose, 60m of 1/4" jetting hose, 80m of 3/16" jetting hose

- ♦ Locking pin
- ♦ Heavy duty mounting plate
- ♦ 1/2" M inlet and 3/8" outlet
- ♦ 5,000 psi hose & whip hose sold separately



AD MN134SS **\$875**
Replacement swivel AD MNRS134 \$109

4,000 PSI STAINLESS STEEL MINI REEL KIT... 134SS

Stainless steel mini reel fitted with 30m of 3/8" 5,000 psi Aussie BluePro hose,

- ♦ Locking pin
- ♦ Heavy duty mounting plate
- ♦ 4,000 psi rated M22 M couplings on hose inlet & outlet (non swaged)
- ♦ 1.3m whip hose



A134SS/30MBPH **\$1,380**
Replacement swivel AD MNRS134 \$109

6,000 PSI STAINLESS STEEL HOSE REEL ... 4418 SS

Takes up to 80m of 3/8" 5,000 psi hose 120m of 1/4" jetting hose,

- ♦ Locking pin
- ♦ Friction brake
- ♦ Heavy duty mounting plate
- ♦ 1/2" M inlet and 3/8" outlet
- ♦ 5,000 psi hose & whip hose sold separately



A4418SS-REEL **\$890**
Replacement swivel AD MNRS4418 \$171

AUSSIE DRAIN CLEANING KIT

Convert your pressure washer to a drain cleaning jetter. Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose and safety plate.

ADRAINKIT **\$3,338**



More drain jetting accessories p 30

HIGH PRESSURE ACCESSORIES

BLASTER BLITZ 6 | ISSUE 2